



Safety Data Sheet

Section 1 – Identification

Product Identifier: SuperClean Aerosol Degreaser

Other means of Identification: Aerosol Cleaning Solution

Name and Address of Responsible Parties:

SuperClean Brands, LLC

1380 Corporate Center Curve, Suite 107

Eagan, MN 55121

Information Telephone #: 1-651-365-7500

24 Hr. Emergency Telephone Number: 1-800-424-9300

Contract Number: CCN644158

Section 2 – Hazards Identification

Classification of the Chemical: Clear light purple aerosolized liquid. Citrus odor.

This material is classified as hazardous under OSHA regulations (29 CFR 1910.1200) (Hazcom 2012).

Hazardous classification: Corrosive to Metals – Category 1
Skin Irritation – Category 2
Eye Irritation – Category 2A
Gases Under Pressure – Liquefied Gas
Flammable Aerosols – Category 2

Label elements:

Signal Word: Danger

Hazard Statements: Corrosive liquid.
May cause skin irritation.
May cause serious eye irritation.
Contains gases under pressure, may explode if heated
Flammable Aerosol

Precautionary Statements: Keep only in original container.

Section 2 – Hazards Identification (Continued)

Store in corrosive resistant container with inner liner.
Absorb spillage to prevent material damage.
Wash hands thoroughly after handling.
If on Skin: Wash with plenty of soap and water.
If skin irritation occurs get medical advice/attention.
Take off contaminated clothing and wash before reuse.
Wear protective gloves.
Wear eye protection such as goggles or safety glasses with side shields.
If in eyes: Rinse cautiously with water for 15 minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists get medical advice/attention.
Do not eat, drink or smoke when using this product.
If swallowed: Immediately call a poison center/physician.
Rinse mouth.
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Do not spray on an open flame or other ignition source
Pressurized container: do not pierce or burn, even after use.
Dispose of contents/container in accordance with local, state, federal or international regulations.

Hazard Pictogram(s):



Other Hazards not otherwise classified:

This product contains 7% ingredients of an unknown acute toxicity. See section 11 for more information.

Section 3 – Composition/Information on Ingredients

Chemical Name, Common Name	CAS #	Concentration wt/wt(*)
Sodium Metasilicate	6834-92-0	<5
Sodium Hydroxide	1310-73-2	<5
Surfactant, blend	Trade secret	1-10

* Note: The exact concentrations of the chemical(s) above are being withheld as a trade secret.

Section 4 – First-Aid Measures

Description of first aid measures:

Inhalation: If inhaled remove victim to fresh air and keep at rest. Call a poison center or physician if you feel unwell.

Skin contact: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs get medical advice/attention.

Eye contact: If product gets in eyes flush with water for at least 15 minutes. If eye irritation persists seek medical advice/attention.

Ingestion: Do NOT induce vomiting unless instructed by medical personal. Never give anything by mouth to an unconscious person. Get medical attention.

Most important symptoms and effects, both acute and delayed:

May cause skin irritation.

May cause serious eye irritation.

Ingestion may cause gastrointestinal irritation, nausea, vomiting, diarrhea and burns to the mouth, throat and esophagus.

Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

Section 5 – Fire-Fighting Measures

Extinguishing media:

Suitable extinguishing media: Water fog, Carbon dioxide, Dry chemical, Foam.

Unsuitable extinguishing media: Not available.

Special hazards arising from the substance or mixture: None known.

Flammability classification: Flammable Aerosol

Hazardous combustion products: Carbon oxides, other unidentified organic compounds.

Special protective equipment and precautions for firefighters:

Protective equipment for fire-fighters: Firefighters should wear proper protective equipment (Bunker gear) and self-contained breathing apparatus with full face operated in positive pressure mode.

Section 6 – Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

All persons dealing with the clean-up should use the appropriate chemically protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up.

Methods and materials for containment and clean up:

If possible, prevention measures should be taken to stop any chemical from entering the ground water system. Ventilate the area. Scoop up material and place into suitable container(s). Dispose of according to local, state and federal regulations.

Section 7 – Handling and Storage

Precautions for safe handling:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye/face protection. Adequate ventilation should be supplied. Avoid prolonged contact with skin, eyes and clothing. Keep away from heat. Keep container tightly closed.

Conditions for safe storage:

Store in cool, dry and well ventilated place. Containers should be clearly identified, clear of obstructions and accessible only to authorized personnel. Have appropriate fire extinguishers/sprinkler system in place. Spill clean-up equipment should be in or near storage area.

Incompatible materials: Strong oxidizers, Strong acids.

Section 8 – Exposure Controls/Personal Protection

Exposure limits:

Chemical Name	ACGIH-TLV	OSHA-PEL
Sodium Metasilicate	Not Available	5mg/m ³ (TWA)
Sodium hydroxide	2mg/m ³	2mg/m ³
Surfactant, blend	Not Available	Not Available

Exposure controls:

Ventilation and Engineering Measures: Use in well ventilated area. Apply technical measures to comply with occupational exposure limits if needed.

Respiratory Measures: If airborne concentrations are above the permissible exposure limit, use NIOSH approved respirators.

Section 8 – Exposure Controls/Personal Protection (Continued)

Skin Protection: Wear protective gloves. Where extensive exposure to the product is possible, use resistant apron/suit and boots.

Eye/Face Protection: Goggles or safety glasses with side shields.

Other Protective Equipment: Ensure that eyewash stations and a safety shower are close to the workstation(s).

General Hygiene Considerations: Avoid prolonged contact with eyes, skin and clothing. Do not eat or drink when using this product. Wash hands after handling. Remove and wash all contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

Section 9 – Physical and Chemical Properties

Appearance: Clear light purple liquid.

Odor: Citrus Odor

Odor threshold: Not available

PH: 12.5 -13.8

Melting/Freezing pointing: ~ -3C (26.6F)

Boiling point and boiling range: >100C (212F)

Flash point: >93.3C (199.4F)

Evaporation point (Butyl Acetate=1): Not available.

Flammability (method determination): Not available.

Lower flammability limit (% by vol.): Not available.

Upper flammability limit (% by vol.): Not available.

Vapor pressure: Not available.

Vapor density: Not available.

Relative density: 1.00 – 1.05

Solubility in water: Complete.

Partition Coefficient (n-octanol/water): Not available.

Auto ignition temperature: Not available.

Decomposition temperature: Not available.

Viscosity: Not available.

Volatiles (% by wt) = 0%

Volatile organic compounds: Not available.

Other physical/chemical comments: No addition information.

Section 10 – Stability and Reactivity

Reactivity: Not normally reactive.

Chemical stability: Stable under normal conditions.

Section 10 – Stability and Reactivity (Continued)

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid: Heat. Contact with incompatible materials.

Incompatible materials: Strong oxidizers, Strong acids. Avoid contact with glass.

Hazardous decomposition products: Carbon oxides.

Section 11 – Toxicological Information

Information on routes of exposure:

Routes of entry - Inhalation: YES

Routes of entry - Skin & Eye: YES

Routes of entry - Ingestion: YES

Routes of entry - Skin Absorption: YES

Potential Health Effects:

Signs and symptoms of short term exposure:

Signs and symptoms: Inhalation – May cause respiratory irritation.

Section 11 – Toxicological Information

Signs and symptoms: Ingestion – Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Larger amounts may cause burns to the throat and esophagus.

Signs and symptoms: Skin – May cause irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Signs and symptoms: Eyes – May cause serious irritation.

Potential Chronic Health Effects: None known.

Mutagenicity: Not hazardous by OSHA/WHMIS criteria.

Carcinogenicity: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects: Not hazardous by OSHA/WHMIS criteria.

Section 11 – Toxicological Information (Continued)

Sensitization to material: No data available to indicate product may be a sensitizer.

Specific target organ effects: Not Available.

Medical conditions aggravated by overexposure: Pre-existing skin and eye conditions.

Toxicological data: The calculated ATE value for this mixture is well above classification parameters.

ATE (oral) = 21,690mg/kg

Chemical Name	LD50-Oral	Dermal
Sodium Metasilicate	847mg/kg (Rat)	Not Available
Sodium hydroxide	500mg/kg (Rabbit)	Not Available
Surfactant, blend	Not Available	Not Available

Section 12 – Ecological Information

Ecotoxicity: This product itself has not been tested.

Mobility in soil: This product itself has not been tested.

Persistence and degradability: This product itself has not been tested.

Bioaccumulation potential: This product itself has not been tested.

Section 13 – Disposal Information

Handling for disposal: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

Methods of disposal: Dispose in accordance with all applicable federal, state, provincial and local regulation. Contact your federal, state, provincial and local authorities for specific rules.

Section 14 – Transportation Information

US 49 CFR/DOT. Ground Transportation

UN No.: UN1950
UN Proper shipping name: AEROSOLS, Flammable, Limited Quantity
Transport hazard class: 2.1
Packing group: Not Applicable
ERG: 126

Special Transportation Notes: May be shipped as Limited Quantity by ground per provisions of CFR 49 173.154 (b).

Section 15 – Regulatory Information

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act.

US CERCLA Reportable quantity (RQ): Sodium hydroxide 1,000 lbs.

SARA Title III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355:

No extremely hazardous substances are present in this material.

SARA Title III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes:

Reactive Hazard, Acute Health Hazard, Chronic Health Hazard. Under SARA Section 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SARA Title III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372:

No components are present in this material.

State Regulations:

California Proposition 65: This product does not contain a chemical known to the State of California to cause, birth defects or other reproductive harm.

International Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Section 16 – Other Information

HMIS – Hazardous Materials Identification System

Health -2 Flammability -2 Physical Hazard -1 PPE -B

NFPA – National Fire Protection Association

Health -2 Flammability -2 Reactivity -1

Abbreviations legend:

ACGIH: American Conference of Governmental Industrial Hygienist

CAS: Chemical abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980

CFR: Code of Federal Regulations

CSA: Canadian Standards Association

DOT: Department of Transportation

ECOTOX: U.S. EPA Ecotoxicology Database

Section 16 – Other Information (Continued)

EINECS: European Inventory of Existing Commercial Chemical Substances
EPA: Environmental Protection agency
HSDB: Hazardous Substances database
IARC: International Agency for Research on Cancer
IBC: Intermediate Bulk Container
IUCLID: International Uniform Chemical Information Database
LC: Lethal Concentration
LD: Lethal Dose
NIOSH: National Institute of Occupational Safety and Health
NTP: National Toxicology Program
OECD: Organization for Economic Cooperation and Development
PEL: Permissible exposure limit
RCRA: Resource Conservation and Recovery Act
RTECS: Registry of Toxic Effects of Chemical Substances
SARA: Superfund Amendments and Reauthorization Act
SDS: Safety Data Sheet
STEL: Short Term Exposure Limit
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Materials Identification System

Disclaimer

The information continued herein is based on the manufactures' own study and the work of others, implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor the manufacturer (nor the agents, directors, officers, contractors or employees of either) are liable to any party for any damages of any nature, including direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in this SDS, or in any other way related (directly or indirectly) to this SDS. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for the safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any other process.

Version: 1.0 – Initial Release

End of Document